In re Patent Application of:

RAYNOR

Serial No. 10/786,878

Filing Date: FEBRUARY 25, 2004

REMARKS

The Examiner is thanked for the careful examination of the present application. Claims 27-35 have been canceled in response to the restriction requirement and without prejudice to Applicant's right to file a divisional application directed to the subject matter thereof.

Independent Claims 11 and 20 have been amended to more clearly define the invention over the cited prior art as described in greater detail below.

I. The Amended Claims

Independent Claim 11 is directed to an image sensing structure including at least one photodiode that, in turn, comprises a layer of a first conductivity type, a well of a second conductivity type in the layer, with the well defining a collection node, and an isolation trench at least partially bounding an upper portion of the well. Moreover, Claim 1 has been amended to further recite that the well has opposing sides, and that the isolation trench at least partially bounds the upper portion of the well at the opposing sides thereof. These amendments are clearly supported by the originally filed application and can be seen in FIGS. 3-5, for example. Independent Claim 20 has been similarly amended.

II. The Claims Are Patentable

The Examiner rejected independent Claims 11 and 20 over the Rhodes patent. The Rhodes patent discloses spaced apart field oxide regions (FOX) 114 on a P-well 20 and with entire pixels formed between adjacent field oxide regions (FIG. 8). This is quite different than the claimed invention

In re Patent Application of:
RAYNOR

Serial No. 10/786,878

Filing Date: FEBRUARY 25, 2004

wherein the isolation trench at least partially bounds the upper portion of the well at the opposing sides thereof.

Because the isolation trench is provided on opposing sides of the photodiode collection node in the claimed invention, the implantation of the well can be very accurately controlled. This may advantageously provide a variation distance on both sides of the well being greatly reduced as compared to the variation distance on both sides of the well as in the prior art as explained in Applicant's specification. As also noted in Applicant's specification, the claimed invention provides better matching between the pixels that, in turn, reduces fixed pattern noise and photo response non-uniformity.

The Rhodes patent discloses that the field oxide region 114 only bounds one side of the doped region 26 as seen in FIG. 8, for example. Accordingly, an implant of the region 26 of Rhodes could not be accurately controlled. Rhodes teaches bounding of the region 26 on only one side thereof, and, thus, teaches away from the claimed invention wherein the isolation trench at least partially bounds the upper portion of the well at the opposing sides thereof.

In view of the patentability of independent Claims 11 and 20, it is submitted that their dependent claims, that include yet further distinguishing features, are also patentable. Accordingly, these dependent claims need no further discussion herein.

III. CONCLUSION

In view of the amendments to the claims and the arguments provided herein, it is submitted that all the claims

In re Patent Application of:

RAYNOR

Serial No. 10/786,878

Filing Date: FEBRUARY 25, 2004

are patentable. Accordingly, a Notice of Allowance is requested in due course. Should any minor informalities need to be addressed, the Examiner is encouraged to contact the undersigned attorney at the telephone number listed below.

Respectfully submitted,

CHRISTOPHER F. REGAN

Reg. No. 34,906

Allen, Dyer, Doppelt, Milbrath

& Gilchrist, P.A.

255 S. Orange Avenue, Suite 1401

Post Office Box 3791

Orlando, Florida 32802

407-841-2330

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: MS AMENDMENT, COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450, on this day of July, 2005.